







RI/RO-140F

Style by Oil Plug Machining Position


Style A	Style B	Style C
 <p>Technical drawing of Style A roller gear indexer. Dimensions shown: 172 (total height), 127 (height to top of oil plug), and 18 (height of oil plug). The face is labeled Face Z.</p>	 <p>Technical drawing of Style B roller gear indexer. Dimensions shown: 181 (total height), 111 (height to top of oil plug), and 23 (height of oil plug). The face is labeled Face Z.</p>	 <p>Technical drawing of Style C roller gear indexer. Dimensions shown: 280 (total height), 235 (height to top of oil plug), 18 (height of oil plug), and 58 (width of oil plug). The face is labeled Face W.</p>
Style D	Style E	Style F
 <p>Technical drawing of Style D roller gear indexer. Dimensions shown: 280 (total height), 235 (height to top of oil plug), 15 (height of oil plug), and 58 (width of oil plug). The face is labeled Face W.</p>	 <p>Technical drawing of Style E roller gear indexer. Dimensions shown: 177.5 (width), 26 (height of oil plug), 108 (height to top of oil plug), and 190 (total height). The face is labeled Face W.</p>	 <p>Technical drawing of Style F roller gear indexer. Dimensions shown: 190 (total height), 108 (height to top of oil plug), 26 (height of oil plug), and 177.5 (width). The face is labeled Face W.</p>

Additional Information

Filler, Drain (black circle)	Rc3/8
Level (white circle)	Φ30
Rough Product Weight	75kg
Rough Lubricating Oil Capacity	4.3 Liters
Mounting Tapped Holes	Machining the specified faces upon request

RI/RO-140F

Mounting Examples of Optional Parts



Additional Notes

- MA series worm reducer MAO63, 80 and 100 can be mounted.
- Mounting positions of a drive unit is standardized as 16 different pattern.
- MYTORQ torque limiter 300 series can be mounted.
- Autoflex couplings can be mounted.
- Autogard torquelimiter 400 series or Autoflex couplings can be mounted on the input shafts of a worm reducer.